

**DECLARATION OF CONFORMITY N° 761746-UK**

**Declaration of Performance (DoP)**

**1. Manufacturer:**

ISEO Serrature S.p.A. - Via S. Girolamo, 13 – IT 25055 - Pisogne (BS)

**2. Product identification code:**

**Mechanically operated locks**

**3. Type number allowing identification of the construction product as required under Article 11, paragraph 4 (CPR):**

Series **DINFIR3**

Models: 2D111\*\*\*\*\*, 2D114\*\*\*\*\*, 2D117\*\*\*\*\*, 2D121\*\*\*\*\*, 2D124\*\*\*\*\*,  
2D127\*\*\*\*\*, 2D131\*\*\*\*\*, 2D134\*\*\*\*\*, 2D137\*\*\*\*\*, 2D141\*\*\*\*\*,  
2D144\*\*\*\*\*, 2D147\*\*\*\*\* \*

Accessories: **single leaf configuration**  
03865\*\*\* Striking plate

**double leaves configuration**  
2D6\* flush bolt  
032144...1 Upper automatic relatching device  
032154 Rod hasp top  
032164 Floor strike cup  
032174 + 032704 Rod hasp bottom  
032314 Vertical rods

**4. Intended use of the construction product:** On fire and/or smoke control doors

**5. System of assessment and verification of constancy of performance:** 2019 no 465 - The Construction Products

**6. Approved Body:** BSI Number 0086

**7. Certificate of constancy of performance:** 0086-CPR-761746

**8. Harmonized standard:** EN12209:2003 Classification: |3|S|9|1|0|G|6|B|C|2|0|

**9. Essential characteristics**

EN12209 § 5.1.2	Return force on the latch	≥ 2,5 [Nm]
EN 12209 § 5.4.2.2	Door mass and closing force	Door mass ≤ 250 [kg], door closing force ≤ 15 [N]
EN 12209 § 5.3.1	Durability of the latch	200.000 test cycles with 50 [N] load on the latch
EN 12209 § 5.5	Suitability for use on fire/smoke resistance door assemblies.	Grade 1: suitable for use on fire/smoke resisting door assemblies.
EN 12209 § 5.1.1	Dangerous substances	The materials in this product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations.

The performance of the product identified in points 2 and 3 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 1. Signed for and on behalf of the manufacturer by:

**ISEO SERRATURE S.p.A.**  
**Stefano Gelmini**  
Product Certification Manager

Place First issuing Current issuing  
PISOGNE (BS) ITALY 07/03/2022 07/03/2022

